

BEST CONTACTS FOR YOUR SUCCESS



**Telegärtner**

KARL GÄRTNER GMBH

NETWORKING COMPONENTS

COAXIAL CONNECTORS

CABLE ASSEMBLIES

PRECISION TURNED PARTS

PLASTIC INJECTION MOULD PARTS

INDUSTRIAL ELECTRONICS

**Simpler all over.  
Simpler all round.**



10 GB  
Ether.

500  
MHz

fully  
shielded

PoE+

Data Voice

**MFP8**

Field assembly RJ45 plug

## Less fuss. More flexibility.

Here's the situation: An existing network needs extending. A cable link needs to be repaired or replaced. A peripheral device needs to be connected quickly. Your customer expects a fast and reliable solution but you don't have a cable assembly ready at hand. Sound familiar?

Now you can keep your cool when faced with such demands – with the new, field assembly MFP8 plug developed by Telegärtner.

The MFP8 is the RJ45 plug for time-saving and efficient on-site assembly for all networks, from Voice right through to 10 Gigabit Ethernet. It can be assembled on all standard types of cable in just 60 seconds – and no special tools are required.

Whether in the office, data centers, in industry or in home networks – the MFP8 offers unprecedented flexibility and saves time and money on installation, repairs and maintenance.



## Simpler all over: MFP8 applications

The new field assembly MFP8 is the number one choice whenever efficient and reliable connections are needed without major expense or effort, whether for classic cabling systems in office buildings, data centers, in industry or for home cabling systems. Needless to say, it also supports High Power over Ethernet (PoE+).



### Office/premise cabling and data centers

With the MFP8, installers and network professionals now have access to an RJ45 plug which will enable them to respond with speed and flexibility, even at short notice, to any requirement, be it cabling for workstations, connections for equipment or backbone extensions.

Connections can be made with all standard cable types, even with transfer rates of 10 Gigabit Ethernet (10GBase-T), without requiring hours of preparation and without the need for special tools. It is particularly cost-effective for connections in data centers where every centimeter counts. Space problems due to surplus cable are consigned to the history books. Thanks to its compact design and suitability for multiport applications, the MFP8 can also be used where space is at an absolute premium.




### Industrial cabling (IP20)

Whether used in industrial control cabinets or in distribution boxes in production, the MFP8 can also be relied upon in industry. The 360° shielding and full metal housing guarantee secure and reliable data transmission, including with 10 Gigabit Ethernet and even with outside electric interference. And the use of the full range of cable types with solid or stranded conductors from AWG24/1 to 22/1 and AWG27/7 to 22/7 make it a universal product fit for all purposes.




### Cabling in the home

When it comes to home networks or cabling for the home-based office, adhering to a minimum footprint is normally a major requirement, and only very rarely is there an outlet just where one is needed. In order to be able to connect the PC, router or printer quickly, easily and cheaply, a plug is needed which can be fitted without special tools to the full range of cable types with solid or stranded wires. The MFP8 also enables non-professionals to assemble and customise cables – as and where they are needed – and to establish efficient and reliable connections without spending a great deal of time and money.




## Simpler all round: Fitting the MFP8

The MFP8 consists of just two parts which can be assembled quickly and securely in three simple steps.




### Step 1: Connect cable

Remove cable jacket, move cable shielding backwards and prepare wires by untwisting pairs and inserting them in the wire manager. The integrated assembling aid protects the board and facilitates this process. The print is highly visible and is available in colour code T568A or T568B. Press wire manager together with a plier and cut off excess wires.



### Step 2: Insert in plug housing

Remove assembling aid and insert board with wires connected in plug housing. The wire manager is designed so that it can only be inserted in the housing the right way up.



### Step 3: Close plug

The cable relief is hinged to ensure 360° shielding and effective strain relief on the cable. The snap-in mechanism can be adjusted to tailor the amount of grip to the cable diameter in any given case. And the cap protects the plug contacts from dust and dirt.

## MFP8: For new freedom in structured cabling

- ✓ Can be assembled in 60 seconds without any special tools
- ✓ Optimised for the field, including demanding applications
- ✓ Suitable for cabling in office buildings, data centers, industrial facilities and home networks
- ✓ Supreme reliability
- ✓ Secure transmission even with outside interference
- ✓ Ideal for network repairs and extensions

# The best bits of 60 years of experience all rolled into one plug



For over 60 years Telegärtner has had a determining influence on the direction taken by connector technology in terms of convenience, reliability and performance. "Made in Germany" development, design and state-of-the-art production – the sum total of decades of experience can be found invested in the new MFP8.

## Long release latch

Insertion and withdrawal made easy in confined spaces

## Preassembled protection cap

Effective protection of contacts from dust and damage in transit



## Standardised plug interface


Conforming to EN 60603-7-51

## Robust zinc die-cast housing

Hardened and tempered finish to prevent electrical interference

## Specifications:

- Plug: IEC 60603-7-51 compliant
- Life:  $\geq 750$  mating cycles
- contact finish material: Ni1.2Au0.8
- Shielding housing material: Die-cast nickel-plated zinc
- Cu conductor diameter:
  - solid 0.51 – 0.64 mm (AWG 24/1 – 22/1) or
  - stranded 0.46 – 0.76 mm (AWG 27/7 – 22/7)
- Core diameter: 1.0 – 1.6 mm
- Outer diameter of cable: 5.5 – 9.0 mm
- Reusable IDC:  $\leq 4$  cycles
- Temperature range:  $-40^{\circ}\text{C}$  to  $85^{\circ}\text{C}$
- High Power over Ethernet (PoE+) in accordance with IEEE 802.3at



**Three strain relief settings**  
 Suitable for cable diameters from 5.0 mm to 9.0 mm

**Four-chamber wire manager**  
 Available with colour code T568A or T568B

**Full metal shielding**  
 Between pairs of wires

**Piercing contacts**  
 Suitable for conductor cross-sections AWG27/7 – 22/7; AWG 24/1 – 22/1

**360° shielding**  
 Secure data transmission even with outside electrical interference

**Field assembly MFP8 plug:**



**MFP8 T568A**  
*Order number:* J00026A2000



**MFP8 T568B**  
*Order number:* J00026A2001

**Other field assembly components and installation cables:**



**AMJ modul K Cat.6<sub>A</sub>** suitable for RJ11/12/45 plugs  
*Order number T568A:* J00029K0036  
*Order number T568B:* J00029A0077



**Installation cable AMJ900 S/FTP Cat.7 FRNC**  
 4x2xAWG 23/1, Length = 1000 m, cable drum  
*Order number:* L02002A0120



**AMJ coupler K Cat.6**  
 suitable for RJ11/12/45 plugs  
*Order number:* J00029A0061


**Installation cable AMJ900 S/FTP Cat.7 FRNC**  
 duplex 2x(4x2)xAWG 23/1, Length = 500 m, cable drum  
*Order number:* L02002A0121

## Designed to make things simpler for pre-assembled solutions: the TICNET configurator

The TICNET configurator is a convenient and quick way of ordering preassembled cabling components from the factory. Just follow six simple steps to order the product you need:

- 1 Select type of product
- 2 Define product
- 3 Check final product
- 4 Add product to shopping basket
- 5 Enter address details
- 6 Send inquiry

Whether you need copper or optical fiber products, cables or patch panels, solutions for office buildings, data centers, industrial facilities or home networks: the TICNET configurator service is available around the clock to inquire customised products. Naturally it is also possible to save your configurations.



Easy, quick and reliable: that's Telegärtner  
[www.telegaertner.com/ticnet](http://www.telegaertner.com/ticnet)

**Telegärtner**  
**Karl Gärtner GmbH**

Lerchenstr. 35  
D-71144 Steinenbronn

Tel.: +49 (0) 71 57/1 25-100  
Fax: +49 (0) 71 57/1 25-120

Email: [info@telegaertner.com](mailto:info@telegaertner.com)  
Web: [www.telegaertner.com](http://www.telegaertner.com)

Your distributor: